

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S363	263	((backup replicat\$3 duplicat\$3) near2 commit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S382	171	((backup replicat\$3) near4 (flag status)) and commit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S399	7	((("6493804") or ("6681225") or ("7010554"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
S400	219	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S406	298	"first state" and "second state" and "third state" and data and identifier and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S410	108	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup) and @ad<"20031127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S411	20	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup) and (logical with lock\$3) and @ad<"20031127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S425	36	(time near stamp) same ("globally unique identifier" GUID) and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S432	1	"20040153480".pn. and (media medium)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S434	8	((("5909540") or ("6823458") or ("20030050930") or ("6477597"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16

S435	2	("5890153").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
S436	447	"data mover" same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S437	118	"data mover" near5 storage and @ad< "20021127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S438	104	(backup replicat\$3) near2 (flag status indicator) and data and state and identifier and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S439	109	("first state" same "second state" same "third state") and data and identifier and lock\$3 and @ad< "20021127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S440	8	"first state" and "second state" and "third state" and data and identifier and (logical near2 lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S441	38	("4682305" "4985863" "5161214" "5187750" "5287497").PN. OR ("5408630").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S442	6	((("20040143745") or ("6850938") or ("6857068"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
S443	72	("5001628" "5032979" "5113519" "5325524" "5367698" "5408619" "5408657" "5418966" "5434974" "5434994" "5459860" "5463774" "5491817" "5519855" "5608903" "5613079" "5677851" "5689706"). PN. OR ("5832487").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S444	191	atom\$3 near2 transaction with process\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S446	1	("7225302").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/05/01 13:16

S447	6	((("5522077") or ("7225302") or ("7143414")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
S448	72	atom\$3 near2 transaction with process\$3 and (identifier ID) and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S449	69133	"707"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S450	215	((backup replicat\$3) near2 commit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S451	171	(storage near4 controller) and (metadata same (lock locking))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S452	546	multiple with semaphore	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S453	120	atom\$3 near2 transaction with process\$3 and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S455	118	atom\$3 near2 transaction with process\$3 and @ad< "20021117"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S456	229	"data mover" near5 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S457	49	atom\$3 near2 transaction with process\$3 and identifier and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S458	121	((multiple near2 state) same lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S459	32	((((backup replicat\$3) near4 (flag status)) same commit \$3) and (ID identifier GUID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16

S461	43	((multiple near2 state) near4 lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S462	39	lock near2 share near2 exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S463	61	(lock\$3 near2 id) near4 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S464	8	((("20040153480") or ("6029178") or ("6032158") or ("20040148447"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
S465	3	lock\$3 same (metadata) same group same (backup replicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S466	10	tagged near2 backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S467	72	(atom\$3 near2 transaction) with process\$3 and (identifier ID) and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S468	37	(multiple with semaphore) same (copy replicat\$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S469	6	(multiple and semaphore). ti. and (semaphore lock status)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S470	18	(multiple with semaphore) same (copy replicat\$3)and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S471	2	(atom\$3 near2 transaction) with process\$3 same (identifier ID) and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
S472	30	(time near stamp) same ("globally unique identifier" GUID) and database and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16

S473	10	((time near stamp) and ("globally unique identifier" GUID)) and (object near2 oriented) and "shared memory" and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S474	4	((time near stamp) same ("globally unique identifier" GUID)) and (object near2 oriented) and memory and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S476	183	((backup replicat\$3) near4 (flag status)) and commit \$3 and (ID identifier GUID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S477	132	(storage near2 controller) and (metadata same (lock locking))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
S478	9005	707/200-204.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S479	9	S478 and (identifier and first and second and third and state and replication). clm.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S480	2	S478 and (identifier and first and second and third and state and replication). clm. and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S482	902	711/152.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
S501	739	(remov\$3 delet\$3) with cache with list	US-PGPUB; USPAT; EPO	OR	ON	2008/05/02 17:27
S502	15	((remov\$3 delet\$3) with cache with list) same ((inconsistent invalid) with cache)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/02 17:28
S535	103	(lock with attribute with (number count))	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:01
S536	68	(lock with attribute with (number count)) and @AD< "20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:02
S537	706	"707"/\$.ccls. and (lock with (number count)) and @AD< "20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:04
S538	108	"707"/\$.ccls. and (share\$2 with lock with (number count)) and @AD< "20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:04

S539	53	"707"/\$.ccls. and (share\$2 adj2 lock with (number count)) and @AD<"20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:04
S540	11	"707"/\$.ccls. and (share\$2 adj2 lock adj4 (number count)) and @AD<"20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:05
S546	3	"707"/\$.ccls. and (share\$2 adj2 lock with (incr\$8 adj4 (number count))) and @AD<"20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/03 23:57
S552	19	(invalid\$8 inconsistent) with lock with (concurrent \$2)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/04 15:57
S564	34	(invalidat\$3 same open\$3 same object) and @ad<"20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/04 18:32
S565	9	(invalidat\$3 with open\$3 with object) and @ad<"20030429"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/04 18:32
S570	2	(lock same lease same expired same (error exception))	US-PGPUB; USPAT; EPO	OR	ON	2008/05/05 09:18
S571	14	("5996075" "6192483" "6243814" "6449641").PN. OR ("6775703").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 09:29
S573	3	("6237009" "6263350" "6499049").PN. OR ("6842754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 09:39
S577	927	711/145.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/05 14:57
S578	731	S577 and (instance invalidat \$3 lock)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/05 14:58
S579	94	S577 and (instance invalidat \$3 lock)	US-PGPUB; USPAT; EPO	AND	ON	2008/05/05 14:58
S580	78	S577 and (instance invalidat \$3 lock) and @ad<"20030429"	US-PGPUB; USPAT; EPO	AND	ON	2008/05/05 14:59
S581	6	S577 and (instance invalidat \$3 lock open\$3) and @ad<"20030429"	US-PGPUB; USPAT; EPO	AND	ON	2008/05/05 14:59

5/12/2008 11:32:31 AM

C:\Documents and Settings\slin\My Documents\EAST\Workspaces\10721898-112603.wsp